

1/10/13 4:53 PM

Component	Value	Range
• PSA	2.0	<4.0 (NG/ML)
• PSA, FREE	0.31	(NG/ML)
• PSA, % FREE	16 (*)	SEE BELOW (%)

URINALYSIS W REFLEX MICRO

Collection Time
1/10/13 4:53 PM

Component	Value	Range
• COLOR UA	YELLOW	YELLOW/STRAW
• CLARITY UA	CLEAR	CLEAR
• SPECIFIC GRAVITY UA	1.020	1.005 - 1.035
• LEUKOCYTE ESTERASE UA	NEGATIVE	NEGATIVE
• NITRITE UA	NEGATIVE	NEGATIVE
• PH UA	6.5	5.0 - 9.0
• PROTEIN UA	NEGATIVE	NEGATIVE
• GLUCOSE UA	NEGATIVE	NEGATIVE
• KETONES UA	NEGATIVE	NEGATIVE
• UROBILINOGEN UA	0.2	</=2.0 (MG/DL)
• BILIRUBIN UA	NEGATIVE	NEGATIVE
• OCCULT BLOOD UA	NEGATIVE	NEGATIVE


CULTURE, URINE/SENSITIVITY ON ALL

Collection Time
1/10/13 4:53 PM

Component	Value	Range
• CULTURE, URINE/SENSITIVITY ON ALL	SPECIMEN NUMBER: 13022105	

Please keep your follow-up appointment so that we may discuss these results in more detail.

Regards,



Mohit Khera, MD